Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
A. R. Fersht
I. Herskowitz
R. Laskey
V. Luzzati
B. Matthews
J. H. Miller
M. F. Moody

Volume 194

5 March to 20 April 1987

ACADEMIC PRESS

(Harcourt Brace Jovanovich, Publishers)

London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1987, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 194

Number 1, 5 March 1987

MacLeod, A. R., Talbot, K., Smillie, L. B. and Houlker, C., Characterization of a cDNA Defining a Gene Family Encoding $TM30_{p1}$, a Human Fibroblast Tropomyosin . 1

Creighton, T. E. and Charles, I. G., Sequences of the Genes and Polypeptide Precursors for Two Bovine Protease Inhibitors 11

Riede, I., Drexler, K., Schwarz, H. and Henning, U., T-even-type Bacteriophages Use an Adhesin for Recognition of Cellular Receptors 23

Riede, I., Drexler, K., Eschbach, M.-L. and Henning, U., DNA Sequence of Genes *38* Encoding a Receptor-recognizing Protein of Bacteriophages T2, K3 and of K3 Host Range Mutants 31

Mendenhall, M. D., Leeds, P., Fen, H., Mathison, L., Zwick, M., Sleiziz, C. and Culbertson, M. R., Frameshift Suppressor Mutations Affecting the Major Glycine Transfer RNAs of *Saccharomyces cerevisiae* 41

Lynn, S. P., Burton, W. S., Donohue, T. J., Gould, R. M., Gumport, R. I. and Gardner, J. F., Specificity of the Attenuation Response of the Threonine Operon of *Escherichia coli* is Determined by the Threonine and Isoleucine Codons in the Leader Transcript 59

Champer, R., Dingwall, A. and Shapiro, L., Cascade Regulation of *Caulobacter* Flagellar and Chemotaxis Genes 71

Timmers, H. Th. M., de Lange, T., Kooter, J. M. and Borst, P., Coincident Multiple Activations of the Same Surface Antigen Gene in *Trypanosoma brucei* 81

Hahnenberger, K. M. and Shapiro, L., Identification of a Gene Cluster Involved in Flagellar Basal Body Biogenesis in *Caulobacter crescentus* 91

Murphy, K. C., Casey, L., Yannoutsos, N., Poteete, A. R. and Hendrix, R. W., Localization of a DNA-binding Determinant in the Bacteriophage P22 Erf Protein . 105

Spirin, A. S., Baranov, V. I., Polubesov, G. S., Serdyuk, I. N. and May, R. P., Translocation Makes the Ribosome Less Compact 119

Appendix: Serdyuk, I. N., Tsalkova, T. N., Svergun, D. I. and Izotova, T. D., Determination of Radii of Gyration of Particles by Small-angle Neutron Scattering: Calculation of the Effect of Aggregates 126

Bentley, G. A., Lewit-Bentley, A., Liljas, L., Skoglund, U., Roth, M. and Unge, T., Structure of RNA in Satellite Tobacco Necrosis Virus. A Low Resolution Neutron Diffraction Study using $^1H_2O/^2H_2O$ Solvent Contrast Variation 129

Goldman, A., Ollis, D. L. and Steitz, T. A., Crystal Structure of a Muconate Lactonizing Enzyme at 3 Å Resolution 143

Letter to the Editor

Jones, M., Wagner, R. and Radman, M., Mismatch Repair of Deaminated 5-Methylcytosine 155

Number 2, 20 March 1987

Lohe, A. R. and Brutlag, D. L., Identical Satellite DNA Sequences in Sibling Species of *Drosophila* 161

Lohe, A. R. and Brutlag, D. L., Adjacent Satellite DNA Segments in *Drosophila* Structure of Junctions 171

Hirono, M., Endoh, H., Okada, N., Numata, O. and Watanabe, Y., *Tetrahymena* Actin. Cloning and Sequencing of the *Tetrahymena* Actin Gene and Identification of Its Gene Product . . 187

Akhurst, R. J., Calzone, F. J., Lee, J. J., Britten, R. J. and Davidson, E. H., Structure and Organization of the CyIII Actin Gene Subfamily of the Sea Urchin *Strongylocentrotus purpuratus* 193

Bliska, J. B. and Cozzarelli, N. R., Use of Site-specific Recombination as a Probe of DNA Structure and Metabolism *in Vivo* 205

Sander, M., Hsieh, T-s., Udvardy, A. and Schedl, P., Sequence Dependence of *Drosophila* Topoisomerase II in Plasmid Relaxation and DNA Binding 219

Belin, D., Mudd, E. A., Prentki, P., Yi-Yi, Y. and Krisch, H. M., Sense and Antisense Transcription of Bacteriophage T4 Gene *32*. Processing and Stability of the mRNAs . . 231

Tokunage, M., Suzuki, M., Saeki, K. and Wakabayashi, T., Position of the Amino Terminus of Myosin Light Chain 1 and Light Chain 2 Determined by Electron Microscopy with Monoclonal Antibody 245

Beese, L., Stubbs, G. and Cohen, C., Microtubule Structure at 18 Å Resolution 257

Carrington, J. C., Morris, T. J., Stockley, P. G. and Harrison, S. C., Structure and Assembly of Turnip Crinkle Virus IV. Analysis of the Coat Protein Gene and Implications of the Subunit Primary Structure 265

Leonard, K., Haiker, H. and Weiss, H., Three-dimensional Structure of NADH: Ubiquinone Reductase (Complex I) from *Neurospora* Mitochondria Determined by Electron Microscopy of Membrane Crystals 277

Brick, P. and Blow, D. M., Crystal Structure of a Deletion Mutant of a Tyrosyl-tRNA Synthetase Complexed with Tyrosine 287

Doster, W., Bowne, S. F., Frauenfelder, H., Reinisch, L. and Shyamsunder, E., Recombination of Carbon Monoxide to Ferrous Horseradish Peroxidase Types A and C 299

Dalvit, C. and Wright, P. E., Assignment of Resonances in the ^{1}H Nuclear Magnetic Resonance Spectrum of the Carbon Monoxide Complex of Sperm Whale Myoglobin by Phase-sensitive Two-dimensional Techniques 313

Dalvit, C. and Wright, P. E., Assignment of Resonances in the ^{1}H Nuclear Magnetic Resonance Spectrum of the Carbon Monoxide Complex of Human Hemoglobin α-Chains 329

Letters to the Editor

Sorger, P. K. and Pelham, H. R. B., These Glucose-regulated Protein grp94 is Related to the Heat Shock Protein hsp90 341

Smith, M. J. and Koch, G. L. E., Isolation and Identification of Partial cDNA Clones for Endoplasmin, the Major Glycoprotein of Mammalian Endoplasmic Reticulum . . . 345

Krüger, D. H. and Bickle, T. A., Abortive Infection of *Escherichia coli* F^+ Cells by Bacteriophage T7 Requires Ribosomal Misreading 349

Wright, C. S. and Kahane, I., Preliminary X-ray Diffraction Results on Co-Crystals of Wheat Germ Agglutinin with a Sialoglycopeptide from the Red Cell Receptor Glycophorin A . 353

First Announcement 357

Number 3, 5 April 1987

Cozens, A. L. and Walker, J. E., The Organization and Sequence of the Genes for ATP Synthase Subunits in the Cyanobacterium *Synechococcus* 6301. Support for an Endosymbiotic Origin of Chloroplasts 359

Burns, P. A., Gordon, A. J. E. and Glickman, B. W., Influence of Neighbouring Base Sequence on *N*-Methyl-*N'*-nitro-*N*-nitrosoguanidine Mutagenesis in the *lac*I Gene of *Escherichia coli* 385

Adams, W. T. and Skopek, T. R., Statistical Test for the Comparison of Samples from Mutational Spectra 391

Miller, E. S., Karam, J., Dawson, M., Trojanowska, M., Gauss, P. and Gold, L., Translational Repression: Biological Activity of Plasmid-encoded Bacteriophage T4 RegA Protein 397

Casjens, S., Huang, W. M., Hayden, M. and Parr, R., Initiation of Bacteriophage P22 DNA Packaging Series. Analysis of a Mutant that Alters the DNA Target Specificity of the Packaging Apparatus 411

Wu, G., Railey, J. F. and Cannon, R. E., Defining the Functional Domains in the Control Region of the Adenovirus Type 2 Specific VARNA1 Gene 423

Rosenthal, E. R. and Calvo, J. M., Transcription Termination Sites at the Distal End of the *leu* Operon of *Salmonella typhimurium*. 443

Sternberg, N. and Coulby, J., Recognition and Cleavage of the Bacteriophage P1 Packaging Site (*pac*). I. Differential Processing of the Cleaved Ends *in Vivo* . . 453

Sternberg, N. and Coulby, J., Recognition and Cleavage of the Bacteriophage P1 Packaging Site (*pac*). II. Functional Limits of *pac* and Location of *pac* Cleavage Termini 469

Goodenough, U. W., Gebhart, B., Mermall, V., Mitchell, D. R. and Heuser, J. E., High-pressure Liquid Chromatography Fractionation of *Chlamydomonas* Dynein Extracts and Characterization of Inner-arm Dynein Subunits 481

Alam, M. and Oesterhelt, D., Purification, Reconstitution and Polymorphic Transition of Halobacterial Flagella 495

Wright, C. S., Refinement of the Crystal Structure of Wheat Germ Agglutinin Isolectin 2 at 1·8 Å Resolution 501

Vijay-Kumar, S., Bugg, C. E. and Cook, W. J., Structure of Ubiquitin Refined at 1·8 Å Resolution 531

Gersonde, K., Yu, N.-T., Kerr, E. A., Smith, K. M. and Parish, D. W., Haem-rotational Disorder in Monomeric Allosteric Cyano-Met Insect Haemoglobins Monitored by Resonance Raman Spectroscopy 545

Letters to the Editor

Dodd, I. B. and Egan, J. B., Systematic Method for the Detection of Potential λ Cro-like DNA-binding Regions in Proteins 557

Chen, T., Liu, J. and Reisler, E., Proteolysis and Binding of Myosin Subfragment 1 to Actin 565

Zaccai, G., Structure and Hydration of Purple Membranes in Different Conditions . 569

Read, R. J., Wierenga, R. K., Groendijk, H., Lambeir, A., Opperdoes, F. R. and Hol, W. G. J., Preliminary Crystallographic Studies of Glycosomal Glyceraldehyde Phosphate Dehydrogenase from *Trypanosoma brucei brucei* 573

Boulot, G., Rojas, C., Bentley, G. A., Poljak, R. J., Barbier, E., Le Guern, C. and Cazenave, P.-A., Preliminary Crystallographic Study of a Complex Between the Fab Fragment of a Monoclonal Anti-lysozyme Antibody (D1.3) and the Fab Fragment from an Anti-idiotopic Antibody Against D1.3 577

Erratum 581

Number 4, 20 April 1987

Schimenti, J., Vold, L., Socolow, D. and Silver, L. M., An Unstable Family of Large DNA Elements in the Center of the Mouse *t* Complex 583

Lowy, J. and Poulsen, F. R., X-ray Study of Myosin Heads in Contracting Frog Skeletal Muscle 595

Yatagai, F., Horsfall, M. J. and Glickman, B. W., Defect in Excision Repair Alters the Mutational Specificity of PUVA Treatment in the *lacI* Gene of *Escherichia coli* . . 601

Downing, W. L. and Dennis, P. P., Transcription Products from the *rpl*KAJL-*rpo*BC Gene Cluster 609

Moreau, P. L., Effects of Overproduction of Single-stranded DNA-binding Protein on RecA Protein-dependent Processes in *Escherichia coli* 621

McClain, W. H. and Nicholas, H. B., Jr, Differences Between Transfer RNA Molecules . 635

Trifonov, E. N., Translation Framing Code and Frame-monitoring Mechanism as Suggested by the Analysis of mRNA and 16 S rRNA Nucleotide Sequences. . . 643

Reuter, S. H. and Shapiro, L., Asymmetric Segregation of Heat-shock Proteins Upon Cell Division in *Caulobacter crescentus* 653

Duplay, P., Szmelcman, S., Bedouelle, H. and Hofnung, M. Silent and Functional Changes in the Periplasmic Maltose-binding Protein of *Escherichia coli* K12. I. Transport of Maltose 663

Duplay, P. and Szmelcman, S., Silent and Functional Changes in the Periplasmic Maltose-binding Protein of *Escherichia coli* K12. II. Chemotaxis Towards Maltose . 675

Schauer, A. T., Carver, D. L., Bigelow, B., Baron, L. S. and Friedman, D. I., λ *N* Antitermination System: Functional Analysis of Phage Interactions with the Host NusA Protein 679

Maeda, Y. and Ohtsubo, E., Relationship between Helix-Coil Transition and Gene Organization of ColE1 Plasmid DNA. Differential Scanning Calorimetric and Theoretical Studies 691

Watanabe, Y., Morita, N., Nishiguchi, M. and Okada, Y., Attenuated Strains of Tobacco Mosaic Virus. Reduced Synthesis of a Viral Protein with a Cell-to-cell Movement Function 699

O'Halloran, T. V., Lippard, S. J., Richmond, T. J. and Klug, A., Multiple Heavy-atom Reagents for Macromolecular X-ray Structure Determination. Application to the Nucleosome Core Particle 705

Smith-Gill, S. J., Mainhart, C., Lavoie, T. B., Feldmann, R. J., Drohan, W. and Brooks, B. R., A Three-dimensional Model of an Anti-lysozyme Antibody . . . 713

Morize, I., Surcouf, E., Vaney, M. C., Epelboin, Y., Buehner, M., Fridlansky, F., Milgrom, E. and Mornon, J. P., Refinement of the $C222_1$ Crystal Form of Oxidized Uteroglobin at 1·34 Å Resolution 725

Letters to the Editor

Mazen, A., Hacques, M.-F. and Marion, C., H3 Phosphorylation-dependent Structural Changes in Chromatin. Implications for the Role of Very Lysine-rich Histones 741

Cheng, K. C. and Smith, G. R., Cutting of Chi-like Sequences by the RecBCD Enzyme of *Escherichia coli* 747

Ascenzi, P., Amiconi, G., Bolognesi, M., Menegatti, E. and Guarneri, M., Binding of the Ile-Val and Val-Val Effector Dipeptides to the Binary Adducts of Bovine Trypsinogen with Kunitz and Kazal Inhibitors As Well As the Acylating Agent *p*-Nitrophenyl *p*-Guanidinobenzoate. A Thermodynamic and Kinetic Study . . 751

Rose, D. R., Birnbaum, G. I., Tan, L. U. L. and Saddler, J. N., Crystallization and Preliminary X-ray Diffraction Study of a Xylanase from *Trichoderma harzianum* . 755

Kühlbrandt, W., Three-dimensional Crystals of the Light-harvesting Chlorophyll *a*/*b* Protein Complex from Pea Chloroplasts 757

Winkler, F. K., D'Arcy, A. and Pirson, W., Crystallization and Preliminary Crystallographic Data of Pig Muscle Aldose Reductase 763

Index to Volume 194

Abortive infection of *Escherichia coli* F^+ cells by bacteriophage T7 requires ribosomal misreading, 349
Actin gene CyIII subfamily of the sea urchin, *Strongylocentrotus purpuratus*; structure and organization, 193
Actin gene, *Tetrahymena*; cloning and sequencing, and identification of the gene product, 181
Actin, proteolysis and binding of myosin subfragment 1, 565
Adams, W. T. & Skopek, T. R., Statistical test for the comparison of samples from mutational spectra, 391
Adenovirus type 2 specific VARNA1 gene, defining the functional domains in the control region, 423
Adhesin used by T-even-type bacteriophages for recognition of cellular receptors, 23
Agglutinin isolectin 2, wheat germ, refinement of crystal structure at 1·8 Å resolution, 501
Agglutinin, wheat germ, preliminary X-ray diffraction results on co-crystals with a sialoglycopeptide from the red cell receptor glycophorin A, 353
Akhurst, R. J., Calzone, F. J., Lee, J. J., Britten, R. J. & Davidson, E. H., Structure and organization of the CyIII actin gene subfamily of the sea urchin *Strongylocentrotus purpuratus*, 193
Alam, M. & Oesterhelt, D., Purification, reconstitution and polymorphic transition of halobacterial flagella, 495
Aldose reductase, pig muscle, crystallization and preliminary crystallographic data, 763
Amiconi, G. (see also Ascenzi, P.), 751
Amino terminus of myosin light chain 1 and light chain 2, position determined by electron microscopy with monoclonal antibody, 245
Antibody (D1.3), anti-lysozyme, monoclonal, Fab fragment complex with the Fab fragment from an anti-idiotopic antibody against D1.3; preliminary crystallographic study, 577
Anti-lysozyme antibody, a three-dimensional model, 713
Antitermination system, λ *N*; functional analysis of phage interactions with the host NusA protein, 679
Ascenzi, P., Amiconi, G., Bolognesi, M., Menegatti, E. & Guarneri, M., Binding of the Ile-Val and Val-Val effector dipeptides of the binary adducts of bovine trypsinogen with Kunitz and Kazal inhibitors as well as the acylating agent *p*-nitrophenyl *p*-guanidinobenzoate. A thermodynamic and kinetic study, 751
Assembly of turnip crinkle virus; analysis of coat protein gene and implications of the subunit primary structure, 265
ATP synthase subunits in the cyanobacterium *Synechococcus* 6301, organization and sequence of genes; support for endosymbiotic origin of chloroplasts, 359
Attenuated strains of tobacco mosaic virus. Reduced synthesis of a viral protein with a cell-to-cell movement function, 699
Attenuation response of the threonine operon of *Escherichia coli*, specificity is determined by the threonine and isoleucine codons in the leader transcript, 59

Bacteriophages, T-even-type, use an adhesin for recognition of cellular receptors, 23
Bacteriophages T2, K3; DNA sequence of genes *38* encoding a receptor-recognizing protein, 31
Bacteriophage T4 gene *32*, sense and antisense transcription; processing and stability of the mRNAs, 231
Bacteriophage T4 RegA protein, plasmid-encoded, biological activity; translational repression, 397
Bacteriophage T7, abortive infective of *Escherichia coli* F^+ cells requires ribosomal misreading, 349
Bacteriophage P1 packaging site (*pac*), recognition and cleavage; differential processing of the cleaved ends *in vivo*, 453
Bacteriophage P1 packaging site (*lac*), recognition and cleavage; functional limits of *pac* and location of *pac* cleavage termini, 469
Bacteriophage P22 DNA packaging series, initiation; analysis of a mutant that alters the DNA target specificity of the packaging apparatus, 411
Bacteriophage P22 Erf protein, localization of a DNA-binding determinant, 105
Baranov, V. I. (see also Spirin, A. S.), 119
Barbier, E. (see also Boulot, G.), 577
Baron, L. S. (see also Schauer, A. T.), 679
Bedouelle, H. (see also Duplay, P.), 663
Beese, L., Stubbs, G. & Cohen, C., Microtubule structure at 18 Å resolution, 257
Belin, D., Mudd, E. A., Prentki, P., Yi-Yi, Y. & Krisch, H. M., Sense and antisense transcription of bacteriophage T4 gene *32*. Processing and stability of the mRNAs, 231
Bentley, G. A., Lewit-Bentley, A., Liljas, L., Skoglund, U., Roth, M. & Unge, T., Structure of RNA in satellite tobacco necrosis virus. A low resolution neutron diffraction study using $^1H_2O/^2H_2O$ solvent contrast variation, 129
Bentley, G. A. (see also Boulot, G.), 577
Bickle, T. A. (see also Krüger, D. H.), 349
Bigelow, B. (see also Schauer, A. T.), 679
Binding of the Ile-Val and Val-Val effector dipeptides to the binary adducts of bovine trypsinogen with Kunitz and Kazal inhibitors as well as the actylating agent *p*-nitrophenyl *p*-guanidinobenzoate; a thermodynamic and kinetic study, 751
Binding of myosin subfragment 1 to actin, 565
Birnbaum, G. I. (see also Rose, D. R.), 755
Bliska, J. B. & Cozzarelli, N. R., Use of site-specific recombination as a probe of DNA structure and metabolism *in vivo*, 205
Blow, D. M. (see also Brick, P.), 287
Bolognesi, M. (see also Ascenzi, P.), 751
Borst, P. (see also Timmers, H. Th. M.), 81
Boulot, G., Rojas, C., Bentley, G. A., Poljak, R. J., Barbier, E., Le Guern, C. & Cazenave, P.-A., Preliminary crystallographic study of a complex between the Fab fragment of a monoclonal anti-lysozyme antibody (D1.3) and the Fab fragment from an anti-idiotopic antibody against D1.3, 577
Bovine protease inhibitors, sequences of the genes and polypeptide precursors, 11
Bovine trypsinogen, binding of the Ile-Val and Val-Val effector dipeptides to the binary adducts, 751
Brick, P. & Blow, D. M., Crystal structure of a deletion mutant of a tyrosyl-tRNA synthetase complexed with tyrosine, 287
Britten, R. J. (see also Akhurst, R. J.), 193
Brooks, B. R. (see also Smith-Gill, S. J.), 713
Browne, S. F. (see also Doster, W.), 299
Brutlag, S. L. (see also Lohe, A. R.), 161, 171
Buehner, M. (see also Morize, I.), 725
Bugg, C. E. (see also Vijay-Kumar, S.), 531
Burns, P. A., Gordon, A. J. E. & Glickman, B. W., Influence of neighbouring base sequence on *N*-methyl-*N'*-nitrosoguanidine mutagenesis in the *lac*I gene of *Escherichia coli*, 385
Burton, W. S. (see also Lynn, S. P.), 59

$C222_1$ crystal form of oxidized uteroglobin, refinement at 1·34 Å resolution, 725
Calvo, J. M. (see also Rosenthal, E. R.), 443
Calzone, F. J. (see also Akhurst, R. J.), 193
Cannon, R. E. (see also Wu, G.), 423
Carbon monoxide complex of human hemoglobin α-chains, assignment of resonances in the ^1H n.m.r. spectrum, 329
Carbon monoxide complex of sperm whale myoglobin, assignment of resonances in the ^1H n.m.r. spectrum by phase-sensitive two-dimensional techniques, 313
Carbon monoxide, recombination to ferrous horseradish peroxidase types A and C, 299
Carrington, J. C., Morris, T. J., Stockley, P. G. & Harrison, S. C., Structure and assembly of turnip crinkle virus IV. Analysis of the coat protein gene and implications of the subunit primary structure, 265
Carver, D. L. (see also Schauer, A. T.), 679
Cascade regulation of *Caulobacter* flagellar and chemotaxis genes, 71
Casjens, S., Huang, W. M., Hayden, M. & Parr, R., Initiation of bacteriophage P22 DNA packaging series. Analysis of a

mutant that alters the DNA target specificity of the packaging apparatus, 411
Caulobacter crescentus, asymmetric segregation of heat-shock proteins upon cell division, 653
Caulobacter crescentus, identification of a gene cluster involved in flagellar basal body biogenesis, 91
Caulobacter flagellar and chemotaxis genes, cascade regulation, 71
Cazenave, P.-A. (see also Boulot, G.), 577
Cell division in *Caulobacter crescentus*, and asymmetric segregation of heat-shock proteins, 653
α-Chains, hemoglobin, human, assignment of resonances in the ^{1}H n.m.r. spectrum of the carbon monoxide complex, 329
Champer, R., Dingwall, A. & Shapiro, L., Cascade regulation of *Caulobacter* flagellar and chemotaxis genes, 71
Charles, I. G. (see also Creighton, T. E.), 11
Chemotaxis and flagellar genes, *Caulobacter*, cascade regulation, 71
Chemotaxis towards maltose; silent and functional changes in the periplasmic maltose-binding protein of *Escherichia coli* K12, 675
Chen, T., Liu, J. & Reisler, E., Proteolysis and binding of myosin subfragment 1 to actin, 565
Cheng, K. C. & Smith, G. R., Cutting of chi-like sequences by the RecBCD enzyme of *Escherichia coli*, 747
Chi-like sequences, cutting by the RecBCD enzyme of *Escherichia coli*, 747
Chlamydomonas dynein extracts, high-pressure liquid chromatography fractionation, and characterization of inner-arm dynein subunits, 481
Chlorophyll *a*/*b* protein complex from pea chloroplasts, three-dimensional crystals, 757
Chloroplasts, pea, three-dimensional crystals of the light-harvesting chlorophyll *a*/*b* protein complex, 757
Chloroplasts, support for endosymbiotic origin; organization and sequence of the genes for ATP synthase subunits in the cyanobacterium *Synechococcus* 6301, 359
Chromatin, H3 phosphorylation-dependent structural changes; implications for role of very lysine-rich histones, 741
Clones, cDNA, partial, for endoplasmin; isolation and identification, 345
Coat protein gene, implications of the subunit primary structure; structure and assembly of turnip crinkle virus, 265
Cohen, C. (see also Beese, L.), 257
ColE1 plasmid DNA, relationship between helix-coil transition and gene organization; differential scanning calorimetric and theoretical studies, 691
Comparison of samples from mutational spectra, statistical test, 391
Control functional domains in adenovirus type 2 specific VARNA1 gene, 423
Cook, W. J. (see also Vijay-Kumar, S.), 531
Coulby, J. (see also Sternberg, N.), 453, 469
Cozens, A. L. & Walker, J. E., The organization and sequence of the genes for ATP synthase subunits in the cyanobacterium *Synechococcus* 6301. Support for an endosymbiotic origin of chloroplasts, 359
Cozzarelli, N. R. (see also Bliska, J. B.), 205
Creighton, T. E. & Charles, I. G., Sequences of the genes and polypeptide precursors for two bovine protease inhibitors, 11
Cro-like DNA-binding regions, λ, potential, in proteins; systematic method for detection, 557
Crystal structure of a deletion mutant of a tyrosyl-tRNA synthetase complexed with tyrosine, 287
Crystal structure of muconate lactonizing enzyme at 3 Å resolution, 143
Crystal structure of uteroglobin at 1·34 Å resolution, 725
Crystal structure of wheat germ agglutinin isolectin 2, refinement at 1·8 Å resolution, 501
Crystals, three-dimensional, of the light-harvesting chlorophyll *a*/*b* protein complex from pea chloroplasts, 757
Crystallization and preliminary crystallographic data of pig muscle aldose reductase, 763
Crystallization and preliminary X-ray diffraction study of a xylanase from *Trichoderma harzianum*, 755
Crystallographic studies, preliminary, of glycosomal glyceraldehyde phosphate dehydrogenase from *Trypanosoma brucei brucei*, 573
Crystallographic study, preliminary, of complex between the Fab fragment of a monoclonal anti-lysozyme antibody (D1.3) and the Fab fragment from an anti-idiotopic antibody against D1.3, 577
Culbertson, M. R. (see also Mendenhall, M. D.), 41
CyIII actin gene subfamily of the sea urchin, *Strongylocentrotus purpuratus*; structure and organization, 193
Cyanobacterium *Synechococcus* 6301, organization and sequence of the genes for ATP synthase subunits; support for endosymbiotic origin of chloroplasts, 359
Cyano-Met insect haemoglobins, haem-rotational disorder monitored by resonance Raman spectroscopy, 545

D1.3: preliminary crystallographic study of a complex between the Fab fragment of a monoclonal anti-lysozyme antibody (D1.3) and the Fab fragment from an anti-idotopic antibody against D1.3, 577
Dalvit, C. & Wright, P. E., Assignment of resonances in the ^{1}H nuclear magnetic resonance spectrum of the carbon monoxide complex of human hemoglobin α-chains, 329
Dalvit, C. & Wright, P. E., Assignment of resonances in the ^{1}H nuclear magnetic resonance spectrum of the carbon monoxide complex of sperm whale myoglobin by phase-sensitive two-dimensional techniques, 313
D'Arcy, A. (see also Winkler, F. K.), 763
Davidson, E. H. (see also Akhurst, R. J.), 193
Dawson, M. (see also Miller, E. S.), 397
Deaminated 5-methyl-cytosine, mismatch repair, 155
De Lange, T. (see also Timmers, H. Th. M.), 81
Deletion mutant of a tyrosyl-tRNA synthetase complexed with tyrosine, crystal structure, 287
Dennis, P. P. (see also Downing, W. L.), 609
DNA binding, sequence dependence of *Drosophila* topoisomerase II, 219
DNA-binding determinant, localization, in the bacteriophage P22 Erf protein, 105
DNA-binding regions, Cro-like, λ, potential, in proteins; a systematic method for detection, 557
DNA elements, large, an unstable family in the center of the mouse *t* complex, 583
DNA, P22, initiation of packaging series; analysis of a mutant that alters the DNA target specificity of the packaging apparatus, 411
DNA, plasmid, ColE1, relationship between helix-coil transition and gene organization; differential scanning calorimetric and theoretical studies, 691
DNA segments, satellite, adjacent, in *Drosophila*; structure of junctions, 171
DNA sequence of genes *38* encoding a receptor-recognizing protein of bacteriophage T2, K3 and of K3 host range mutants, 31
DNA sequences, satellite, identical, in sibling species of *Drosophila*, 161
DNA structure, use of site-specific recombination as a probe, 205
cDNA clones, partial, for endoplasmin; isolation and identification, 345
cDNA defining a gene family encoding $TM30_{p1}$, a human fibroblast tropomyosin; characterization, 1
Differential scanning calorimetric and theoretical studies of relationship between helix-coil transition and gene organization of ColE1 plasmid DNA, 691
Dingwall, A. (see also Champer, R.), 71
Dodd, I. B. & Egan, J. B., Systematic method for the detection of potential λ Cro-like DNA-binding regions in proteins, 557
Donohue, T. J. (see also Lynn, S. P.), 59
Doster, W., Browne, S. F., Frauenfelder, H., Reinisch, L. & Shyamsunder, E., Recombination of carbon monoxide to ferrous horseradish peroxidase types A and C, 299
Downing, W. L. & Dennis, P. P., Transcription products from the *rpl*KAJL-*rpo*BC gene cluster, 609
Drexler, K. (see also Riede, I.), 23, 31
Drohan, W. (see also Smith-Gill, S. J.), 713
Drosophila, adjacent satellite DNA segments; structure of junctions, 171

Drosophila, identical satellite DNA sequences in sibling species, 161
Drosophila topoisomerase II, sequence dependence in plasmid relaxation and DNA binding, 219
Duplay, P. & Szmelcman, S., Silent and functional changes in the periplasmic maltose-binding protein of *Escherichia coli* K12. II. Chemotaxis towards maltose, 675
Duplay, P., Szmelcman, S., Bedouelle, H. & Hofnung, M., Silent and functional changes in the periplasmic maltose-binding protein of *Escherichia coli* K12. I. Transport of maltose, 663
Dynein extracts, *Chlamydomonas*, high-pressure liquid chromatography, and characterization of inner-arm dynein subunits, 481

Egan, J. B. (see also Dodd, I. B.), 557
Electron microscopy, determination of the amino terminus of myosin light chain 1 and light chain 2, with monoclonal antibody, 245
Electron microscopy of membrane crystals, determination of three-dimensional structure of NADH: ubiquinone reductase (complex I) from *Neurospora* mitochondria, 277
Endoh, H. (see also Hirono, M.), 181
Endoplasmin, isolation and identification of partial cDNA clones, 345
Epelboin, Y. (see also Morize, I.), 725
Erf protein, P22, localization of a DNA-binding determinant, 105
Eschbach, M.-L. (see also Riede, I.), 31
Escherichia coli, cutting of chi-like sequences by the RecBCD enzyme, 747
Escherichia coli, defect in excision repair alters the mutational specificity of PUVA treatment, 601
Escherichia coli, effects of overproduction of single-stranded DNA-binding protein on RecA protein-dependent processes, 621
Escherichia coli, influence of neighbouring base sequence on *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine mutagenesis in the *lac*I gene, 385
Escherichia coli, specificity of the attenuation response of the threonine operon is determined by the threonine and isoleucine codons in the leader transcript, 59
Escherichia coli F^+ cells, abortive infection by bacteriophage T7 requires ribosomal misreading, 349
Escherichia coli K12, silent and functional changes in the periplasmic maltose-binding protein; chemotaxis towards maltose, 675
Escherichia coli K12, silent and functional changes in the periplasmic maltose-binding protein; transport of maltose, 663
Excision repair defect alters the mutational specificity of PUVA treatment in the *lac*I gene of *Escherichia coli*, 601

F^+ cells, *Escherichia coli*, abortive infection by bacteriophage T7 requires ribosomal misreading, 349
Fab fragment of a monoclonal anti-lysozyme antibody (D1.3), preliminary crystallographic study of a complex with the Fab fragment from an anti-idiotopic antibody against D1.3, 577
Feldmann, R. J. (see also Smith-Gill, S. J.), 713
Fen, H. (see also Mendenhall, M. D.), 41
Flagella, halobacterial; purification, reconstitution and polymorphic transition, 495
Flagellar basal body biogenesis in *Caulobacter crescentus*, identification of gene cluster, 91
Flagellar and chemotaxis genes, *Caulobacter*, cascade regulation, 71
Frameshift suppressor mutations affecting the major glycine transfer RNAs of *Saccharomyces cerevisiae*, 41
Framing code and frame-monitoring mechanism as suggested by analysis of mRNA and 16 S rRNA nucleotide sequences, 643
Frauenfelder, H. (see also Doster, W.), 299
Fridlansky, F. (see also Morize, I.), 725
Friedman, D. I. (see also Schauer, A. T.), 679
Frog contracting skeletal muscle, X-ray study of myosin heads, 595
Functional domains in the control region of the adenovirus type 2 specific VARNAI gene, 423

Gardner, J. F. (see also Lynn, S. P.), 59
Gauss, P. (see also Miller, E. S.), 397
Gebhart, B. (see also Goodenough, U. W.), 481
Gene, actin, CyIII subfamily of the sea urchin, *Strongylocentrotus purpuratus*; structure and organization, 193
Gene, actin, *Tetrahymena*; cloning and sequencing, and identification of the gene product, 181
Gene cluster involved in flagellar basal body biogenesis in *Caulobacter crescentus*; identification, 91
Gene cluster, *rpl*KAJL-*rpo*BC, transcription products, 609
Gene, coat protein, implications of the subunit primary structure; structure and assembly of turnip crinkle virus, 265
Gene, *lac*I, of *Escherichia coli*, defect in excision repair alters the mutational specificity of PUVA treatment, 601
Gene, *lac*I, of *Escherichia coli*, influence of neighbouring base sequence on *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine mutagenesis, 385
Gene organization of ColE1 plasmid DNA, and helix-coil transition; differential scanning calorimetric and theoretical studies, 691
Gene, surface antigen, coincident multiple activations in *Trypanosoma brucei*, 81
Gene *32*, bacteriophage T4, sense and antisense transcription; processing and stability of the mRNAs, 231
Genes *38* encoding a receptor-recognizing protein of bacteriophages T2, K3 and of K3 host range mutants; DNA sequences, 31
Gene, VARNA1, adenovirus type 2, defining the functional domains in the control region, 423
Genes for ATP synthase subunits in the cyanobacterium *Synechococcus* 6301, organization and sequence; support for endosymbiotic origin of chloroplasts, 359
Genes, flagellar and chemotaxis, *Caulobacter*, cascade regulation, 71
Genes and polypeptide precursors for two bovine protease inhibitors; sequences, 11
Gersonde, K., Yu, N.-T., Kerr, E. A., Smith, K. M. & Parish, D. W., Haem-rotational disorder in monomeric allosteric cyano-Met insect haemoglobins monitored by resonance Raman spectroscopy, 545
Glickman, B. W. (see also Burns, P. A.), 385
Glickman, B. W. (see also Yatagai, F.), 601
Glucose-regulated protein grp94 is related to heat shock protein hsp90, 341
Glyceraldehyde phosphate dehydrogenase from *Trypanosoma brucei brucei*, preliminary crystallographic studies, 573
Glycine tRNAs of *Saccharomyces cerevisiae*; frameshift suppressor mutations, 41
Glycophorin A sialoglycopeptide, preliminary X-ray diffraction results on co-crystals of wheat germ agglutinin, 353
Glycosomal glyceraldehyde phosphate dehydrogenase from *Trypanosoma brucei brucei*, preliminary crystallographic studies, 573
Gold, L. (see also Miller, E. S.), 397
Goldman, A., Ollis, D. L. & Steitz, T. A., Crystal structure of a muconate lactonizing enzyme at 3 Å resolution, 143
Goodenough, U. W., Gebhart, B., Mermall, V., Mitchell, D. R. & Heuser, J. E., High-pressure liquid chromatography fractionation of *Chlamydomonas* dynein extracts and characterization of inner-arm dynein subunits, 481
Gordon, A. J. E. (see also Burns, P. A.), 385
Gould, R. M. (see also Lynn, S. P.), 59
Groendijk, H. (see also Read, R. J.), 573
Guarneri, M. (see also Ascenzi, P.), 751
Gumport, R. I. (see also Lynn, S. P.), 59

H3 phosphorylation-dependent structural changes in chromatin. Implications for role of very lysine-rich histones, 741
Hacques, M.-F. (see also Mazen, A.), 741
Haem-rotational disorder in monomeric allosteric cyano-Met insect haemoglobins monitored by resonance Raman spectroscopy, 545
Hahnenberger, K. M. & Shapiro, L., Identification of a gene cluster involved in flagellar basal body biogenesis in *Caulobacter crescentus*, 91
Haiker, H. (see also Leonard, K.), 277

Halobacterial flagella; purification, reconstitution and polymorphic transition, 495
Harrison, S. C. (see also Carrington, J. C.), 265
Hayden, M. (see also Casjens, S.), 411
Heat-shock proteins, asymmetric segregation upon cell division in *Caulobacter crescentus*, 653
Heat shock protein hsp90 and glucose-regulated protein grp94 are related, 341
Heavy-atom reagents, multiple, for macromolecular X-ray structure determination; application to the nucleosome core particle, 705
Helix-coil transition and gene organization of ColE1 plasmid DNA; differential scanning calorimetric and theoretical studies, 691
Hemoglobin α-chains, human, assignment of resonances in the ^{1}H n.m.r. spectrum of the carbon monoxide complex, 329
Henning, U. (see also Riede, I), 23, 31
Heuser, J. E. (see also Goodenough, U. W.), 481
High-pressure liquid chromatography fractionation of *Chlamydomonas* dynein extracts and characterization of inner-arm dynein subunits, 481
Hirono, M., Endoh, H., Okada, N., Numata, O. & Watanabe, Y., *Tetrahymena* actin. Cloning and sequencing of the *Tetrahymena* actin gene and identification of its gene product, 181
Histones, very lysine-rich; implications of H3 phosphorylation-dependent structural changes in chromatin, 741
$^1H_2O/^2H_2O$ solvent contrast variation used in neutron diffraction study of structure of RNA in satellite tobacco necrosis virus, 129
Hofnung, M. (see also Duplay, P.), 663
Hol, W. G. J. (see also Read, R. J.), 573
Horseradish peroxidase types A and C, and recombination of carbon monoxide, 299
Horsfall, M. J. (see also Yatagai, F.), 601
Houlker, C. (see also MacLeod, A. R.), 1
Hsieh, T.-s. (see also Sander, M.), 219
Huang, W. M. (see also Casjens, S.), 411
Human fibroblast tropomyosin, $TM30_{p1}$, characterization of a cDNA defining an encoding gene family, 1
Human haemoglobin α-chains, assignment of resonances in the ^{1}H n.m.r. spectrum of the carbon monoxide complex, 329
Hydration of purple membranes in different conditions, 569
^{1}H n.m.r. spectrum of the carbon monoxide complex of sperm whale myoglobin, assignment of resonances by phase-sensitive two-dimensional techniques, 313
^{1}H n.m.r. spectrum of the carbon monoxide complex of human haemoglobin α-chains, assignment of resonances, 329

Ile-Val and Val-Val effector dipeptides, binding to the binary adducts of bovine trypsinogen, 751
Insect haemoglobins, cyano-Met, haem-rotational disorder monitored by resonance Raman spectroscopy, 545
Isoleucine and threonine codons in the leader transcript determine specificity of the attenuation response of the threonine operon of *Escherichia coli*, 59
Izotova, T. D. (see also Serdyuk, I. N.), 126

Jones, M., Wagner, R. & Radman, M., Mismatch repair of deaminated 5-methyl-cytosine, 155

K3 (see also Bacteriophage), 31
Kahane, I. (see also Wright, C. S.), 353
Karam, J. (see also Miller, E. S.), 397
Kazal and Kunitz inhibitors and binding of the Ile-Val and Val-Val effector dipeptides to the binary adducts of bovine trypsinogen, 751
Kerr, E. A. (see also Gersonde, K.), 545
Klug, A. (see also O'Halloran, T. V.), 705
Koch, G. L. E. (see also Smith, M. J.), 345
Kooter, J. M. (see also Timmers, H. Th. M.), 81
Krisch, H. M. (see also Belin, D.), 231
Krüger, D. H. & Bickle, T. A., Abortive infection of *Escherichia coli* F^+ cells by bacteriophage T7 requires ribosomal misreading, 349
Kühlbrandt, W., Three-dimensional crystals of the light-harvesting chlorophyll *a*/*b* protein complex from pea chloroplasts, 757
Kunitz and Kazal inhibitors and binding of the Ile-Val and Val-Val effector dipeptides to the binary adducts of bovine trypsinogen, 751

*lac*I gene of *Escherichia coli*, defect in excision repair alters the mutational specificity of PUVA treatment, 601
*lac*I gene of *Escherichia coli*, influence of neighbouring base sequence on *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine mutagenesis, 385
λ Cro-like DNA-binding regions, potential, in proteins: systematic method for detection, 557
λ *N* antitermination system: functional analysis of phage interactions with the host NusA protein, 679
Lambeir, A. (see also Read, R. J.), 573
Lavoie, T. B. (see also Smith-Gill, S. J.), 713
Lee, J. J. (see also Akhurst, R. J.), 193
Leeds, P. (see also Mendenhall, M. D.), 41
Le Guern, C. (see also Boulot, G.), 577
Leonard, K., Haiker, H. & Weiss, H., Three-dimensional structure of NADH: ubiquinone reductase (complex 1) from *Neurospora* mitochondria determined by electron microscopy of membrane crystals, 277
leu operon of *Salmonella typhimurium*, transcription termination sites at the distal end, 443
Lewit-Bentley, A. (see also Bentley, G. A.), 129
Light-harvesting chlorophyll *a*/*b* protein complex from pea chloroplasts, three-dimensional crystals, 757
Liljas, L. (see also Bentley G. A.), 129
Lippard, S. J. (see also O'Halloran, T. V.), 705
Liu, J. (see also Chen, T.), 565
Lohe, A. R. & Brutlag, D. L., Adjacent satellite DNA segments in *Drosophila* structure of junctions, 171
Lohe, A. R. & Brutlag, D. L., Identical satellite DNA sequences in sibling species of *Drosophila*, 161
Lowy, J. & Poulsen, F. R., X-ray study of myosin heads in contracting frog skeletal muscle, 595
Lynn, S. P., Burton, W. S., Donohue, T. J., Gould, R. M., Gumport, R. I. & Gardner, J. F., Specificity of the attenuation response of the threonine operon of *Escherichia coli* is determined by the threonine and isoleucine codons in the leader transcript, 59
Lysine-rich histones; implications of H3 phosphorylation-dependent structural changes in chromatin, 741

McClain, W. H. & Nicholas, H. B., Jr, Differences between transfer RNA molecules, 635
MacLeod, A. R., Talbot, K., Smilie, L. B. & Houlker, C., Characterization of a cDNA defining a gene family encoding $TM30_{p1}$, a human fibroblast tropomyosin, 1
Macromolecular X-ray structure determination, multiple heavy-atom reagents; application to the nucleosome core particle, 705
Maeda, Y. & Ohtsubo, E., Relationship between helix-coil transition and gene organization of ColE1 plasmid DNA. Differential scanning calorimetric and theoretical studies, 691
Mainhart, C. (see also Smith-Gill, S. J.), 713
Maltose-binding protein, periplasmic, of *Escherichia coli* K12, silent and functional changes; chemotaxis towards maltose, 663
Maltose-binding protein, periplasmic, of *Escherichia coli* K12, silent and functional changes; transport of maltose, 663
Marion, C. (see also Mazen, A.), 741
Mathison, L. (see also Mendenhall, M. D.), 41
May, R. P. (see also Spirin, A. S.), 119
Mazen, A., Hacques, M.-F. & Marion, C., H3 phosphorylation-dependent structural changes in chromatin. Implications for the role of very lysine-rich histones, 741
Membranes, purple, structure and hydration in different conditions, 569
Mendenhall, M. D., Leeds, P., Fen, H., Mathison, L., Zwick, M., Sleiziz, C. & Culbertson, M. R., Frameshift suppressor mutations affecting the major glycine transfer RNAs of *Saccharomyces cerevisiae*, 41
Menegatti, E. (see also Ascenzi, P.), 751
Mermall, V. (see also Goodenough, U. W.), 481
Messenger RNA and 16 S rRNA nucleotide sequences, and

translation framing code and frame-monitoring mechanism, 643
Messenger RNAs, processing and stability; sense and antisense transcription of bacteriophage T4 gene *32*, 231
5-Methyl-cytosine, deaminated, mismatch repair, 155
Microtubule structure at 18 Å resolution, 257
Milgrom, E. (see also Morize, I.), 725
Miller, E. S., Karam, J., Dawson, M., Trojanowska, M., Gauss, P. & Gold, L., Translational repression: biological activity of plasmid-encoded bacteriophage T4 RegA protein, 397
Mismatch repair of deaminated 5-methyl-cytosine, 155
Mitchell, D. R. (see also Goodenough, U. W.), 481
Mitochondria, *Neurospora*, NADH: ubiquinone reductase (complex I), three-dimensional structure determined by electron microscopy of membrane crystals, 277
Model, three-dimensional, of an anti-lysozyme antibody, 713
Monoclonal antibody, and determination by electron microscopy of the position of the amino terminus of myosin light chain 1 and myosin light chain 2, 245
Moreau, P. L., Effects of overproduction of single-stranded DNA-binding protein on RecA protein-dependent processes in *Escherichia coli*, 621
Morita, N. (see also Watanabe, Y.), 699
Morize, I., Surcouf, E., Vaney, M. C., Epelboin, Y., Buehner, M., Fridlansky, F., Milgrom, E. & Mornon, J. P., Refinement of the $C222_1$ crystal form of oxidized uteroglobin at 1·34 Å resolution, 725
Mornon, J. P. (see also Morize, I.), 725
Morris, T. J. (see also Carrington, J. C.), 265
Mouse *t* complex, an unstable family of large DNA elements in the center, 583
Muconate lactonizing enzyme, crystal structure at 3 Å resolution, 143
Mudd, E. A. (see also Belin, D.), 231
Muscle aldose reductase, pig, crystallization and preliminary crystallographic data, 763
Mutational specificity of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine in *Escherichia coli*, 385
Mutational specificity of PUVA treatment in the *lac*I gene of *Escherichia coli* is altered by defect in excision repair, 601
Mutational spectra, statistical test for comparison of samples, 391
Mutations, frameshift suppressor, affecting the major glycine tRNAs of *Saccharomyces cerevisiae*, 41
Myoglobin, sperm whale, carbon monoxide complex, assignment of resonances in the ^1H n.m.r. spectrum by phase-sensitive two-dimensional techniques, 313
Myosin heads in contracting frog skeletal muscle, X-ray study, 595
Myosin light chain 1 and light chain 2, position of the amino terminus determined by electron microscopy with monoclonal antibody, 245
Myosin subfragment 1, proteolysis and binding to actin, 565

NADH: ubiquinone reductase (complex I) from *Neurospora* mitochondria, three-dimensional structure determined by electron microscopy of membrane crystals, 277
Neurospora mitochondria, three-dimensional structure of NADH: ubiquinone reductase (complex I) determined by electron microscopy of membrane crystals, 277
Neutron diffraction study using $^1H_2O/^2H_2O$ solvent contrast variation; structure of RNA in satellite tobacco necrosis virus, 129
Neutron scattering determination of radii of gyration of particles, 126
Nicholas, H. B., Jr (see also McClain, W. H.), 635
Nishiguchi, M. (see also Watanabe, Y.), 699
p-Nitrophenyl *p*-guanidinobenzoate and binding of the Ile-Val and Val-Val effector dipeptides to the binary adducts of bovine trypsinogen, 751
N-methyl-*N'*-nitro-*N*-nitrosoguanidine mutagenesis in the *lac*I gene of *Escherichia coli*, influence of neighbouring base sequence, 385
Nucleosome core particle, application of multiple heavy-atom reagents for macromolecular X-ray structure determination, 705
Numata, O. (see also Hirono, M.), 181
NusA protein, host, and phage interactions; λ *N* antitermination system, 679

Oesterhelt, D. (see also Alam, M.), 495
O'Halloran, T. V., Lippard, S. J., Richmond, T. J. & Klug, A., Multiple heavy-atom reagents for macromolecular X-ray structure determination. Application to the nucleosome core particle, 705
Ohtsubo, E. (see also Maeda, Y.), 691
Okada, N. (see also Hirono, M.), 181
Okada, Y. (see also Watanabe, Y.), 699
Ollis, D. L. (see also Goldman, A.), 143
Opperdoes, F. R. (see also Read, R. J.), 573
Organization and sequence of the genes for ATP synthase subunits in the cyanobacterium *Synechococcus* 6301. Support for endosymbiotic origin of chloroplasts, 359

P1 (see also Bacteriophage), 453, 469
P22 (see also Bacteriophage), 105, 411
pac (see also Packaging site), 453, 469
Packaging series, P22 DNA, initiation; analysis of a mutant that alters the DNA target specificity of the packaging apparatus, 411
Packaging site (*pac*), bacteriophage P1, recognition and cleavage; differential processing of the cleaved ends *in vivo*, 453
Packaging site (*pac*), bacteriophage P1, recognition and cleavage; functional limits of *pac* and location of *pac* cleavage termini, 469
Parish, D. W. (see also Gersonde, K.), 545
Parr, R. (see also Casjens, S.), 411
Particles, determination of radii of gyration by small-angle neutron scattering; calculation of effect of aggregates, 126
Pea chloroplasts, three-dimensional crystals of the light-harvesting chlorophyll *a*/*b* protein complex, 757
Pelham, H. R. B. (see also Sorger, P. K.), 341
Phosphorylation-dependent H3 structural changes in chromatin; implications for role of very lysine-rich histones, 741
Pig muscle aldose reductase, crystallization and preliminary crystallographic data, 763
Pirson, W. (see also Winkler, F. K.), 763
Plasmid relaxation and DNA binding, sequence dependence of *Drosophila* topoisomerase II, 219
Plasmid-encoded bacteriophage T4 RegA protein, biological activity; translational repression, 397
Poljak, R. J. (see also Boulot, G.), 577
Polubesov, G. S. (see also Spirin, A. S.), 119
Polypeptide precursors for two bovine protease inhibitors; sequences, 11
Poulsen, F. R. (see also Lowy, J.), 595
Prentki, P. (see also Belin, D.), 231
Protease inhibitors, bovine, two, sequences of the genes and polypeptide precursors, 11
Proteins: grp94 is related to hsp90, 341
Proteins, systematic method for the detection of potential λ Cro-like DNA-binding regions, 557
Proteolysis and binding of myosin subfragment 1 to actin, 565
Purple membranes, structure and hydration in different conditions, 569
PUVA treatment in the *lac*I gene of *Escherichia coli*, defect in excision repair alters the mutational specificity, 601

Radii of gyration of particles, determination by small-angle neutron scattering; calculation of the effect of aggregates, 126
Radman, M. (see also Jones, M.), 155
Railey, J. F. (see also Wu, G.), 423
Raman spectroscopic monitoring of haem-rotational disorder in monomeric allosteric cyano-Met insect haemoglobins, 545
Read, R. J., Wierenga, R. K., Groendijk, H., Lambeir, A., Opperdoes, F. R. & Hol, W. G. J., Preliminary crystallographic studies of glycosomal glyceraldehyde phosphate dehydrogenase from *Trypanosoma brucei brucei*, 573
RecA protein-dependent processes in *Escherichia coli*, effects of overproduction of single-stranded DNA-binding protein, 621

RecBCD enzyme cutting of chi-like sequences, 747
Receptor recognition by T-even-type bacteriophages, using an adhesin, 23
Receptor-recognizing protein of bacteriophages T2, K3 and of K3 host range mutants, DNA sequence of encoding genes *38*, 31
Recognition of cellular receptors, T-even-type bacteriophages use an adhesin, 23
Recombination of carbon monoxide to ferrous horseradish peroxidase types A and C, 299
Recombination, site-specific, use as a probe of DNA structure and metabolism *in vivo*, 205
Red cell receptor glycophorin A sialoglycopeptide, preliminary X-ray diffraction results on co-crystals of wheat germ agglutinin, 353
RegA protein, T4, plasmid-encoded, biological activity; translational repression, 397
Regulation, cascade, of *Caulobacter* flagellar and chemotaxis genes, 71
Reinisch, L. (see also Doster, W.), 299
Reisler, E. (see also Chen, T.), 565
Relaxation, plasmid, and DNA binding, sequence dependence of *Drosophila* topoisomerase II, 219
Reuter, S. H. & Shapiro, L., Asymmetric segregation of heat-shock proteins upon cell division in *Caulobacter crescentus*, 653
RNA structure in satellite tobacco necrosis virus. Neutron diffraction study using $^1H_2O/^2H_2O$ solvent contrast variation, 129
Ribosomal misreading is required for abortive infection of *Escherichia coli* F^+ cells by bacteriophage T7, 349
Ribosomal 16 S RNA nucleotide sequences; translation framing code and frame-monitoring mechanism, 643
Ribosome is less compact after translocation, 119
Richmond, T. J. (see also O'Halloran, T. V.), 705
Riede, I., Drexler, K., Eschbach, M.-L. & Henning, U., DNA sequence of genes *38* encoding a receptor-recognizing protein of bacteriophages T2, K3 and of K3 host range mutants, 31
Riede, I., Drexler, K., Schwarz, H. & Henning, U., T-even-type bacteriophages use an adhesin for recognition of cellular receptors, 23
Rojas, C. (see also Boulot, G.), 577
Rose, D. R., Birnbaum, G. I., Tan, L. U. L. & Saddler, J. N., Crystallization and preliminary X-ray diffraction study of a xylanase from *Trichoderma harzianum*, 755
Rosenthal, E. R. & Calvo, J. M., Transcription termination sites at the distal end of the *leu* operon of *Salmonella typhimurium*, 443
Roth, M. (see also Bentley, G. A.), 129
*rpl*KAJL-*rpo*BC gene cluster, transcription products, 609

Saccharomyces cerevisiae, frameshift suppressor mutations affecting major glycine tRNAs, 41
Saddler, J. N. (see also Rose, D. R.), 755
Saeki, K. (see also Tokunage, M.), 245
Salmonella typhimurium, transcription termination sites at the distal end of the *leu* operon, 443
Sander, M., Hsieh, T.-s., Udvardy, A. & Schedl, P., Sequence dependence of *Drosophila* topoisomerase II in plasmid relaxation and DNA binding, 219
Satellite DNA segments, adjacent, in *Drosophila*; structure of junctions, 171
Satellite DNA sequences, identical, in sibling species of *Drosophila*, 161
Satellite tobacco necrosis virus, structure of RNA; neutron diffraction study using $^1H_2O/^2H_2O$ solvent contrast variation, 129
Schauer, A. T., Carver, D. L., Bigelow, B., Baron, L. S. & Friedman, D. I., λ *N* antitermination system: functional analysis of phage interactions with the host NusA protein, 679
Schedl, P. (see also Sander, M.), 219
Schimenti, J., Vold, L., Socolow, D. & Silver, L. M., An unstable family of large DNA elements in the center of the mouse *t* complex, 583
Schwarz, H. (see also Riede, I.), 23
Segregation, asymmetric, of heat-shock proteins upon cell division in *Caulobacter crescentus*, 653
Sense and antisense transcription of bacteriophage T4 gene *32*. Processing and stability of the mRNAs, 231
Sequences, chi-like, cutting by the RecBCD enzyme of *Escherichia coli*, 747
Sequence, DNA, of genes *38* encoding a receptor-recognizing protein of bacteriophages T2, K3 and of K3 host range mutants, 31
Sequence of the genes for ATP synthase subunits in the cyanobacterium *Synechococcus* 6301. Support for endosymbiotic origin of chloroplasts, 359
Sequences of the genes and polypeptide precursors for two bovine protease inhibitors, 11
Sequence dependence of *Drosophila* topoisomerase II in plasmid relaxation and DNA binding, 219
Sequences, nucleotide, mRNA and 16 S rRNA; translation framing code and frame-monitoring mechanism, 643
Sequences, satellite DNA, identical, in sibling species of *Drosophila*, 161
Sequencing of the *Tetrahymena* actin gene and identification of the gene product, 181
Serdyuk, I. N., Tsalkova, T. N., Svergun, D. I & Izotova, T. D., Determination of radii of gyration of particles by small-angle neutron scattering: calculation of the effect of aggregates (*Appendix* to Spirin, A. S., *et al.*, 119), 126
Serdyuk, I. N. (see also Spirin, A. S.), 119
Shapiro, L. (see also Champer, R.), 71
Shapiro, L. (see also Hahnenberger, K. M.), 91
Shapiro, L. (see also Reuter, S. H.), 653
Shyamsunder, E. (see also Doster, W.), 299
Sialoglycopeptide from the red cell receptor glycophorin A, preliminary X-ray diffraction results on co-crystals of wheat germ agglutinin, 353
Sibling species of *Drosophila*, identical satellite DNA sequences, 161
Silver, L. M. (see also Schimenti, J.), 583
Single-stranded DNA-binding protein, effects of overproduction on RecA protein-dependent processes in *Escherichia coli*, 621
Skeletal muscle, frog, contracting, X-ray study of myosin heads, 595
Skoglund, U. (see also Bentley, G. A.), 129
Skopek, T. R. (see also Adams, W. T.), 391
Sleiziz, C. (see also Mendenhall, M. D.), 41
Smillie, L. B. (see also MacLeod, A. R.), 1
Smith, G. R. (see also Cheng, K. C.), 747
Smith, K. M. (see also Gersonde, K.), 545
Smith, M. J. & Koch, G. L. E., Isolation and identification of partial cDNA clones for endoplasmin, the major glycoprotein of mammalian endoplasmic reticulum, 345
Smith-Gill, S. J., Mainhart, C., Lavoie, T. B., Feldmann, R. J., Drohan, W. & Brooks, B. R., A three-dimensional model of an anti-lysozyme antibody, 713
Socolow, D. (see also Schimenti, J.), 583
Sorger, P. K. & Pelham, H. R. B., The glucose-regulation protein grp94 is related to the heat shock protein hsp90, 341
Sperm whale myoglobin, carbon monoxide complex, assignment of resonances in the ^1H n.m.r. spectrum by phase-sensitive two-dimensional techniques, 313
Spirin, A. S., Baranov, V. I., Polubesov, G. S., Serdyuk, I. N. & May, R. P., Translocation makes the ribosome less compact, 119
Statistical test for the comparison of samples from mutational spectra, 391
Steitz, T. A. (see also Goldman, A.), 143
Sternberg, N. & Coulby, J., Recognition and cleavage of the bacteriophage P1 packaging site (*pac*). I. Differential processing of the cleaved ends *in vivo*, 453
Sternberg, N. & Coulby, J., Recognition and cleavage of the bacteriophage P1 packaging site (*pac*). II. Functional limits of *pac* and location of *pac* cleavage termini, 469
Stockley, P. G. (see also Carrington, J. C.), 265
Strongylocentrotus purpuratus, structure and organization of the CyIII actin gene subfamily, 193
Structural changes, H3 phosphorylation-dependent, in chromatin; implications for role of very lysine-rich histones, 741

Structure and assembly of turnip crinkle virus. Analysis of coat protein gene and implications of the subunit primary structure, 265
Structure, crystal, of a deletion mutant of a tyrosyl-tRNA synthetase complexed with tyrosine, 287
Structure, crystal, of muconate lactonizing enzyme at 3 Å resolution, 143
Structure, crystal, of wheat germ agglutinin isolectin 2, refinement at 1·8 Å resolution, 501
Structure, DNA, use of site-specific recombination as a probe, 205
Structure and hydration of purple membranes in different conditions, 569
Structure of junctions; adjacent satellite DNA segments in *Drosophila*, 171
Structure, microtubule, at 18 Å resolution, 257
Structure and organization of the CyIII actin gene subfamily of the sea urchin, *Strongylocentrotus purpuratus*, 193
Structure of RNA in satellite tobacco necrosis virus. Neutron diffraction study using $^1H_2O/^2H_2O$ solvent contrast variation, 129
Structure, three-dimensional, of NADH: ubiquinone reductase (complex I) from *Neurospora* mitochondria determined by electron microscopy of membrane crystals, 277
Structure of ubiquitin refined at 1·8 Å resolution, 531
Structure of uteroglobin, refinement at 1·34 Å resolution, 725
Stubbs, G. (see also Beese, L.), 257
Surcouf, E. (see also Morize, I.), 725
Surface antigene gene, coincident multiple activations in *Trypanosoma brucei*, 81
Suzuki, M. (see also Tokunage, M.), 245
Svergun, D. I. (see also Serdyuk, I. N.), 126
Synechococcus 6301, organization and sequence of the genes for ATP synthase subunits; support for endosymbiotic origin of chloroplasts, 359
Szmelcman, S. (see also Duplay, P.), 663, 675

t complex, mouse, an unstable family of large DNA elements in the center, 583
T2 (see also Bacteriophage), 31
T4 (see also Bacteriophage), 231, 397
T7 (see also Bacteriiophage), 349
Talbot, K. (see also MacLeod, A. R.), 1
Tan, L. U. L. (see also Rose, D. R.), 755
Tetrahymena actin gene, cloning and sequencing, identification of gene product, 181
T-even-type bacteriophage use an adhesin for recognition of cellular receptors, 23
Thermodynamic and kinetic study of the binding of Ile-Val and Val-Val effector dipeptides to the binary adducts of bovine trypsinogen, 751
Threonine operon of *Escherichia coli*, specificity of the attenuation response is determined by the threonine and isoleucine codons in the leader transcript, 59
Timmers, H. Th. M., De Lange, T., Kooter, J. M. & Borst, P., Coincident multiple activations of the same surface antigen gene in *Trypanosoma brucei*, 81
$TM30_{p1}$, a human fibroblast tropomyosin, characterization of a cDNA defining an encoding gene family, 1
Tobacco mosaic virus attenuated strains. Reduced synthesis of a viral protein with a cell-to-cell movement function, 699
Tokunage, M., Suzuki, M., Saeki, K. & Wakabayashi, T., Position of the amino terminus of myosin light chain 1 and light chain 2 determined by electron microscopy with monoclonal antibody, 245
Topoisomerase II, *Drosophila*, sequence dependence in plasmid relaxation and DNA binding, 219
Transcription products from the *rpl*KAJL-*rpo*BC gene cluster, 609
Transcription, sense and antisense, of bacteriophage T4 gene *32*. Processing and stability of the mRNAs, 231
Transcription termination sites at the distal end of the *leu* operon of *Salmonella typhimurium*, 443
Transfer RNA molecules, differences between them, 635
Transfer RNAs, glycine of *Saccharomyces cerevisiae*; frameshift suppressor mutations, 41
Translation framing code and frame-monitoring mechanism as suggested by the analysis of mRNA and 16 S rRNA nucleotide sequences, 643
Translational repression: biological activity of plasmid-encoded bacteriophage T4 RegA protein, 397
Translocation makes the ribosome less compact, 119
Trichoderma harzianum, crystallization and preliminary X-ray diffraction study of a xylanase, 755
Trifonov, E. N., Translation framing code and frame-monitoring mechanism as suggested by the analysis of mRNA and 16 S rRNA nucleotide sequences, 643
Trojanowska, M. (see also Miller, E. S.), 397
Tropomyosin, fibroblast, human, $TM30_{p1}$, characterization of a cDNA defining an encoding gene family, 1
Trypanosome brucei, coincident multiple activations of the same surface antigen gene, 81
Trypanosoma brucei brucei, preliminary crystallographic studies of glycosomal glyceraldehyde phosphate dehydrogenase, 573
Trypsinogen, bovine, binding of the Ile-Val and Val-Val effector dipeptides to the binary adducts, 751
Tsalkova, T. N. (see also Serdyuk, I. N.), 126
Turnip crinkle virus, structure and assembly; analysis of coat protein gene and implications of the subunit primary structure, 265
Tyrosine complexed with tyrosyl-tRNA synthetase, crystal structure of a deletion mutant, 287
Tyrosyl-tRNA synthetase deletion mutant, crystal structure, 287

Ubiquitin structure refined at 1·8 Å resolution, 531
Udvardy, A. (see also Sander, M.), 219
Unge, T. (see also Bentley, G. A.), 129
Unstable family of large DNA elements in the center of the mouse *t* complex, 583
Uteroglobin, oxidized, refinement of crystal structure at 1·34 Å resolution, 725

Val-Val and Ile-Val effector dipeptides, binding to the binary adducts of bovine trypsinogen, 751
Vaney, M. C. (see also Morize, I.), 725
VARNA1 gene, adenovirus type 2, defining the functional domains in the control region, 423
Vijay-Kumar, S., Bugg, C. E. & Cook, W. J., Structure of ubiquitin refined at 1·8 Å resolution, 531
Virus, satellite tobacco necrosis, structure of RNA; neutron diffraction study using $^1H_2O/^2H_2O$ solvent contrast variation, 129
Virus, tobacco mosaic, attenuated strains; reduced synthesis of a viral protein with a cell-to-cell movement function, 699
Virus, turnip crinkle, structure and assembly; analysis of coat protein gene and implications of the subunit primary structure, 265
Vold, L. (see also Schimenti, J.), 583

Wagner, R. (see also Jones, M.), 155
Wakabayashi, T. (see also Tokunage, M.), 245
Walker, J. E. (see also Cozens, A. L.), 359
Watanabe, Y., Morita, N., Nishiguchi, M. & Okada, Y., Attenuated strains of tobacco mosaic virus. Reduced synthesis of a viral protein with a cell-to-cell movement function, 699
Watanabe, Y. (see also Hirono, M.), 181
Weiss, H. (see also Leonard, K.), 277
Wheat germ agglutinin isolectin 2, refinement of the crystal structure at 1·8 Å resolution, 501
Wheat germ agglutinin, preliminary X-ray diffraction results on co-crystals with a sialoglycopeptide from the red cell receptor glycophorin A, 353
Wierenga, R. K. (see also Read, R. J.), 573
Winkler, F. K., D'Arcy, A. & Pirson, W., Crystallization and preliminary crystallographic data of pig muscle aldose reductase, 763
Wright, C. S., Refinement of the crystal structure of wheat germ agglutinin isolectin 2 at 1·8 Å resolution, 501
Wright, C. S. & Kahane, I., Preliminary X-ray diffraction results on co-crystals of wheat germ agglutinin with a sialoglycopeptide from the red cell receptor glycophorin A, 353

Wright, P. E. (see also Dalvit, C.), 313, 329
Wu, G., Railey, J. F. & Cannon, R. E., Defining the functional domains in the control region of the adenovirus type 2 specific VARNA1 gene, 423

X-ray diffraction results, preliminary, on co-crystals of wheat germ agglutinin with a sialoglycopeptide from the red cell receptor glycophorin A, 353
X-ray diffraction study, preliminary, of a xylanase from *Trichoderma harzianum*, 755
X-ray structure determination, macromolecular; multiple heavy-atom reagents; application to the nucleosome core particle, 705
X-ray study of myosin heads in contracting frog skeletal muscle, 595
Xylanase from *Trichoderma harzianum*, crystallization and preliminary X-ray diffraction study, 755

Yatagai, F., Horsfall, M. J. & Glickman, B. W., Defect in excision repair alters the mutational specificity of PUVA treatment in the *lac*I gene of *Escherichia coli*, 601
Yi-Yi, Y. (see also Belin, D.), 231
Yu, N.-T. (see also Gersonde, K.), 545

Zaccai, G., Structure and hydration of purple membranes in different conditions, 569
Zwick, M. (see also Mendenhall, M. D.), 41